India's First Customised

Water Cooler
Water Purifier
Water Dispenser

CONWAY®
PURITY | QUALITY | SAFETY

We don't just create products; we craft them with a keen eye on our customers' needs and aspirations.

No. 305933 DESIGN REGISTERED DATE: 23-05-2018

IS1475:2024

CM/L-650009952

At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces.Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site waterconditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries an institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions,water quality, and available resources, making it ideal for industrial and institutional applications.

Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

Conway Water Purifier Private Limited

No. 4/124 B, Agarwal School Road, 2nd Street (Right), KNG Pudur Pirivu, Kanuvai (PO), Coimbatore - 641108.
Cell: +91 98947 47475 | Email: sales@conwaywater.com

www.conwaywater.com

MEMBER INDIA WATER QUALITY ASSOCIATION

Authorised Dealer

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY	CONWAY
	D 7070 NC	D701070 NHC
Dimensions	L 840 x W 525 x H 1580 MM	
Storage Tank - Normal Water	70	70
Storage Tank - Cold Water	70	70
Storage Tank - Hot Water	-	10
Heater Power in Watts	-	2000
Nett Weight in kg (Approx)	97	104
Power Supply (AC 50 Hz)	180 to 260 Volts	
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet	
MOC - Normal Water Tank	LLDPE	
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet	
MOC - Faucets	Brass - Chromium Plated	
Insulation of Cooling Tank	PUF	

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

OUR PRESTIGIOUS CLIENTS

Rank Ads Communications - 98422 23145

India's First Customised

Water Cooler
Water Purifier
Water Dispenser

CONWAY®
PURITY | QUALITY | SAFETY

We don't just create products; we craft them with a keen eye on our customers' needs and aspirations

No. 305933
DESIGN REGISTERED
DATE: 23.05.2018

At Conway, quality is built into every product we manufacture, and our new commercial water dispenser with high storage capacity reflects advanced engineering expertise. Crafted with a premium SS304 stainless steel body and a modern, elegant finish (Design Registered), it ensures durability, safety, and enhanced aesthetics for commercial and institutional spaces.Integrated UV+Ozone or Commercial RO & UV purification options deliver safe and purified drinking water based on site waterconditions. Available with normal, hot and cold-water dispensing options, the unit is trusted by industries an institutions for reliable performance and uncompromised purity. All configurations are customizable according to site conditions,water quality, and available resources, making it ideal for industrial and institutional applications.

Schools, Colleges, Offices, Hospitals, Industries and Public Places like Mall, Bus stand, Railway station and Airports.

Conway Water Purifier Private Limited
No. 4/124 B, Agarwal School Road, 2nd Street (Right),
KNG Pudur Pirivu, Kanuvai (PO), Coimbatore - 641108.
Cell: +91 98947 47475 | Email: sales@conwaywater.com
www.conwaywater.com

MEMBER
INDIA WATER QUALITY ASSOCIATION

Authorised Dealer

Conway Water Dispensers - Technical Specifications

MODEL	CONWAY	CONWAY
	D 140 NN	D 14010 NH
Dimensions	L 840 x W 525 x H 1580 MM	
Storage Tank - Normal Water	140	140
Storage Tank - Hot Water	-	10
Heater Power in Watts	-	2000
Nett Weight in kg (Approx)	68	75
No of Faucets	5	5
Power Supply (AC 50 Hz)	180 to 260 Volts	
MOC - Housing SS 304	Stainless Steel - 0.8 mm Sheet	
MOC - Normal Water Tank	LLDPE	
MOC - Cold Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Hot Water Tank	Stainless Steel - 0.8 mm Sheet	
MOC - Legs SS 202	Stainless Steel - 2.0 mm Sheet	

Specification, illustrations and descriptions are subject to change without notice due to continual innovation.

OUR PRESTIGIOUS CLIENTS



Rank Ads Communications - 98422 23145